

COMPATIBILITY - CHANNEL

NFDS-TWH 2.1W | NF-DS-160



IP RATING

DMP DMP WET WET

BODY COLOR

SLV Silver BLK Black* WHT White*

LENS TYPE

CLR Clear SFT Soft BLK Black SLD Solid

SURFACE

1707

SLV CLR SFT BLK SLD

DMP WET

BLK WHT

1707-30° 1707-60°

3525

SLV CLR SFT BLK

DMP WET

BLK WHT

1813

SLV CLR SFT BLK

DMP WET

BLK WHT

RECESSED

2515

SLV CLR SFT BLK

DMP WET

BLK WHT

4540

SLV CLR SFT BLK

DMP WET

BLK WHT

ANGLED

1919U

SLV CLR SFT BLK

DMP WET

BLK WHT

3030 SQ **3030 CR**

SLV CLR SFT BLK

DMP WET

BLK WHT

BENDABLE

3916

SLV CLR SFT BLK

DMP WET

BLK WHT

1806

SLV CLR SFT BLK

DMP WET

BLK WHT

*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.07:02

800.595.6302

novaflexled.com

COMPATIBILITY - CHANNEL

NFDS-TWH 2.1W | NF-DS-160



IP RATING

DMP Damp **WET** Wet

BODY COLOR

SLV Silver **BLK** Black* **WHT** White*

LENS TYPE

CLR Clear **SFT** Soft **BLK** Black **SLD** Solid

UNIVERSAL

3560

Bottom
Middle
Top

2.36"

1.38"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

2217

0.71"

0.89"

0.68"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

MUD-IN

6214

2.42"

0.81"

1.12"

0.55"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

CHANNELESS

2913

0.56"

0.51"

1.14"

DMP **WET**

SFT

SUSPENDED

3030 RN

0.83"

1.18"

1.18"

DMP **WET**

SLV **BLK** **WHT**

SFT

*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.07:02






800.595.6302

novaflexled.com

RESOURCE - CHANNEL LENS DOTTING

NFDS-TWH 2.1W | NF-DS-160



Dotting with soft lens		O - Damp	W - Wet	
Angled	1919U	1	X	0 - No Dotting 
	3030 SQ/CR	0	0	
Bendable	1806	3	X	1 - Slight Dotting 
	3916	0	0	
Mud-In	6214	1	1	2 - Blurred Dotting 
Recessed	2515	0	X	
	4540	0	0	
	6017	0	0	
Universal	2217	0	1	3 - Clear Dotting 
	3560-B	0	0	
	3560-M	1	1	
Suspended	3030	0	0	X Not Compatible 
Surface	1707	2	X	
	1813	1	1	
	3525	0	0	
	4517	0	0	
Channel-less	2913	0	X	

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.07:02

800.595.6302

novaflexled.com