

COMPATIBILITY - CHANNEL

NFPS SWH 1.5W | NF-PRO-60



IP RATING

DMP DMP WET WET

BODY COLOR

SLV Silver BLK Black* WHT White*

LENS TYPE

CLR Clear SFT Soft BLK Black SLD Solid

SURFACE

1707

SLV BLK WHT

CLR SFT BLK SLD

DMP WET

1707-30° 1707-60°

3525

SLV BLK WHT

CLR SFT BLK

DMP WET

1813

SLV BLK WHT

CLR SFT BLK

DMP WET

RECESSED

2515

SLV BLK WHT

CLR SFT BLK

DMP

4540

SLV BLK WHT

CLR SFT BLK

DMP WET

ANGLED

1919U

SLV BLK WHT

CLR SFT BLK

DMP WET

3030 SQ **3030 CR**

SLV BLK WHT

CLR SFT BLK

DMP WET

BENDABLE

3916

SLV BLK WHT

CLR SFT BLK

DMP WET

1806

SLV BLK WHT

CLR SFT BLK

DMP WET

*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.04:34

800.595.6302

novaflexled.com

COMPATIBILITY - CHANNEL

NFPS SWH 1.5W | NF-PRO-60



IP RATING

DMP Damp **WET** Wet

BODY COLOR

SLV Silver **BLK** Black* **WHT** White*

LENS TYPE

CLR Clear **SFT** Soft **BLK** Black **SLD** Solid

UNIVERSAL

3560

Bottom
Middle
Top

2.36"

1.38"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

2217

0.71"

0.89"

0.68"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

MUD-IN

6214

2.42"

0.81"

1.12"

0.55"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

CHANNELESS

2913

0.56"

0.51"

1.14"

DMP **WET**

CLR **SFT** **BLK**

SUSPENDED

3030 RN

0.83"

1.18"

1.18"

DMP **WET**

SLV **BLK** **WHT**

CLR **SFT** **BLK**

*Lead time for this configuration is 7-10 weeks

Nova Flex LED LLC retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.04:34





800.595.6302

novaflexled.com

RESOURCE - CHANNEL LENS DOTTING

NFPS SWH 1.5W | NF-PRO-60



Dotting with soft lens		O - Damp	W - Wet	
Angled	1919U	2	x	0 - No Dotting 
	3030 SQ/CR	1	1	
Bendable	1806	3	x	1 - Slight Dotting 
	3916	1	1	
Mud-In	6214	2	2	2 - Blurred Dotting 
Recessed	2515	1	x	3 - Clear Dotting 
	4540	0	0	
	6017	1	2	
Universal	2217	2	2	X Not Compatible
	3560-B	1	1	
	3560-M	1	1	
Suspended	3030	0	1	
Surface	1707	3	x	
	1813	2	2	
	3525	0	0	
	4517	2	2	
Channel-less	2913	1	x	

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Oct.20.23.04:34

800.595.6302

novaflexled.com