


RESOURCE GUIDE - ACCESSORIES

COB CONNECTORS



COB CONNECTORS - 2 CONDUCTORS




DRY | SINGLE COLOR | 2 CONDUCTORS
8MM PCB WIDTH | STRIP TO STRIP

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	STS	08	DRY	2C	05




DRY | SINGLE COLOR | 2 CONDUCTORS
8MM PCB WIDTH | STRIP TO WIRE
CUSTOMER SUPPLIED WIRE

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	STW	08	DRY	2C	05




DRY | SINGLE COLOR | 2 CONDUCTORS
8MM PCB WIDTH | STRIP TO STRIP WITH
15CM WIRE IN THE MIDDLE

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	J15	08	DRY	2C	05




L-TYPE FOR 8MM PCB

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	L90	08	DRY	2C	05




T-TYPE FOR 8MM PCB

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	T90	08	DRY	2C	05




SINGLE COLOR | 8MM PCB WIDTH
POWER FEED WITH
15CM WIRE IN THE MIDDLE

COMPATIBLE WITH:

- COB SWH 3.0
- COB STC 3.0

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	W15	08	DRY	2C	05

COB CONNECTORS - 3 CONDUCTORS




DRY | CCT | 10MM PCB WIDTH
STRIP TO STRIP WITH 15CM
WIRE IN THE MIDDLE

COMPATIBLE WITH:

- COB TWH 6.1

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	J15	10	DRY	3C	05



DRY | CCT | 10MM PCB WIDTH
POWER FEED WITH 15CM
WIRE IN THE MIDDLE

COMPATIBLE WITH:

- COB TWH 6.1

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	W15	10	DRY	3C	05

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Nov.14.24.11:00

800.595.6302


novaflexled.com

RESOURCE GUIDE - ACCESSORIES

COB CONNECTORS



COB CONNECTORS - 4 CONDUCTORS




DRY | CCT/RGB | 4 CONDUCTORS
10MM PCB WIDTH | STRIP TO STRIP

COMPATIBLE WITH:

COB RGB 4.4

COB TWH 6.1

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	STS	10	DRY	4C	05



DRY | CCT/RGB | 4 CONDUCTORS
10MM PCB WIDTH | STRIP TO WIRE
CUSTOMER SUPPLIED WIRE

COMPATIBLE WITH:

COB RGB 4.4

COB TWH 6.1

Series	Color	Type	Size	Environment	Conductors	Quantity
COB	SLC	STW	10	DRY	4C	05


Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

RESOURCE GUIDE - ACCESSORIES

LINEAR STRIP CONNECTORS




SMD CONNECTORS - 2 CONDUCTORS



DRY | SINGLE COLOR | 2 CONDUCTORS
10MM PCB WIDTH | STRIP TO STRIP

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	STS	10	DRY	2C	05



DRY | SINGLE COLOR | 2 CONDUCTORS
10MM PCB WIDTH | STRIP TO WIRE
CUSTOMER SUPPLIED WIRE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	STW	10	DRY	2C	05



DRY | SINGLE COLOR | 2 CONDUCTORS
10MM PCB WIDTH | STRIP TO STRIP WITH
15CM WIRE IN THE MIDDLE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	J15	10	DRY	2C	05



DRY | SINGLE COLOR | 2 CONDUCTORS
10MM PCB WIDTH | POWER FEED WITH
15CM WIRE IN THE MIDDLE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	W15	10	DRY	2C	05



DRY/DAMP/WET | SINGLE COLOR
2 CONDUCTORS | 10MM PCB WIDTH
STRIP TO STRIP

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM
NFDS, NFPS: ALL SWH EXCEPT 6.6W, 5.9W


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	STS	10	DAW	2C	05



DRY/DAMP/WET | SINGLE COLOR
2 CONDUCTORS | 10MM PCB WIDTH
STRIP TO STRIP WITH 15CM WIRE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM
NFDS, NFPS: ALL SWH EXCEPT 6.6W, 5.9W


Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	J15	10	DAW	2C	05



DRY/DAMP/WET | SINGLE COLOR
2 CONDUCTORS | 10MM PCB WIDTH
STRIP TO STRIP L-TYPE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM
NFDS, NFPS: ALL SWH EXCEPT 6.6W, 5.9W

Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	L90	10	DAW	2C	05



DRY/DAMP/WET | SINGLE COLOR
2 CONDUCTORS | 10MM PCB WIDTH
POWER FEED WITH 15CM WIRE

COMPATIBLE WITH:
SIGNATURE DRY: WHE, DTW, HDD, FSM
NFDS, NFPS: ALL SWH EXCEPT 6.6W, 5.9W

Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	W15	10	DAW	2C	05

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Nov.14.24.11:00

800.595.6302


novaflexled.com

RESOURCE GUIDE - ACCESSORIES

LINEAR STRIP CONNECTORS



SMD CONNECTORS - 4 CONDUCTORS




DRY/DAMP/WET | RGB | 4 CONDUCTORS
10 MM PCB WIDTH | STRIP TO STRIP

COMPATIBLE WITH:

NFDS RGB

NFPS RGB

Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	STS	10	DAW	4C	05




DRY/DAMP/WET | RGB | 4 CONDUCTORS
10MM PCB WIDTH | STRIP TO STRIP WITH
15CM WIRE IN THE MIDDLE

COMPATIBLE WITH:

NFDS RGB

NFPS RGB

Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	J15	10	DAW	4C	05



DRY/DAMP/WET | RGB | 4 CONDUCTORS
10MM PCB WIDTH
POWER FEED WITH 15CM WIRE

COMPATIBLE WITH:

NFDS RGB

NFPS RGB

Series	Color	Type	Size	Environment	Conductors	Quantity
SMD	SLC	W15	10	DAW	4C	05

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Nov.14.24.11:00

800.595.6302

novaflexled.com

RESOURCE GUIDE - ACCESSORIES

LINEAR ACCESSORIES



QUICK CONNECT

HARDWIRE TO FEMALE



Series	Family	Length
NF-C	F	10FT

Available Lengths: 10' ft

HARDWIRE TO MALE



Series	Family	Length
NF-C	M	10FT

Available Lengths: 10' ft

MALE TO FEMALE



Series	Family	Length
NF-C	MF	10FT

Available Lengths: 10' ft

Y CABLE

2 MALE, 1 FEMALE



Series	Family
NF-C	Y

Available Lengths: 20" in

4 MALE, 1 FEMALE



Series	Family	Type
NF-C	Y	4Y

Total Length: 20" in

8 MALE, 1 FEMALE



Series	Family	Type
NF-C	Y	8Y

Total Length: 17.25" in

QUICK CONNECT ADAPTER

HARDWIRE TO MALE



Series	Family
NF-C	M/HW

1.5" x 0.5" x 0.5" in

HARDWIRE TO FEMALE



Series	Family
NF-C	F/HW

1.5" x 0.5" x 0.5" in

WIRE BY FOOT

Series	Family	Environment	Conductors	Color	Length
NF-C	HH	DRY	2C	BK	
			3C	WT	
			4C		
			5C		



Available Lengths: 10' ft

CLIPS

HARD CLIPS - 20 PER PACK



Series	Family	Type
NF	CLIPS	H

1.125 x 0.25 in

Clips add 0.125" to height of lights

SOFT CLIPS - 20 PER PACK




Series	Family	Type
NF	CLIPS	S

1.125 x 0.25 in

Clips add 0.125" to height of lights

HARDWARE*

ADJUSTABLE CLIP



Series	Family	Type
NF-CH	UNV	CLIPS/ADJ

1.13 x 1.00 in

Additional Accessory
Requires Standard Channel Clips

*Contact manufacturer for compatibility.

Nova Flex retains the right to modify the design of our products at any time as part of the company's continual product improvement program

PROJECT

FIXTURE

PHASE

DATE

Rev: Nov.14.24.11:00

800.595.6302

novaflexled.com